




TESTED TOUGH

HD

Stainless Steel\*

(All dimensions listed in inches)



Chain Number	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length		Inner Plate Height	Plate Thickness	Min. Ultimate Tensile Strength (lbs)	Max Working Load (lbs)	Weight per Foot (lbs/ft)
	P	d <sub>1</sub> max	b <sub>1</sub> min	d <sub>2</sub> max	L max	L <sub>c</sub> max	h <sub>2</sub> max	T max			
HD25 SS RIV	0.250	0.130	0.125	0.091	0.31	0.33	0.24	0.030	568	50	0.1
HD35 SS RIV	0.375	0.200	0.188	0.141	0.49	0.52	0.35	0.050	1,250	115	0.2
HD40 SS RIV	0.500	0.312	0.312	0.156	0.65	0.70	0.47	0.060	2,182	190	0.4
HD50 SS RIV	0.625	0.400	0.375	0.200	0.81	0.87	0.59	0.080	3,455	300	0.7
HD60 SS RIV	0.750	0.469	0.500	0.234	1.02	1.09	0.71	0.094	4,932	450	1.0
HD80 SS RIV	1.000	0.625	0.625	0.312	1.29	1.38	0.94	0.125	8,841	770	1.8
HD100 SS RIV	1.250	0.750	0.750	0.375	1.59	1.76	1.18	0.156	13,636	1,130	2.7
HD120 SS RIV	1.500	0.875	1.000	0.437	1.98	2.14	1.41	0.187	16,477	1,700	3.8

\*ANSI 304